

COD	Punctaj RO	Punctaj MATE	Punctaj RO-MATE
25	90.0	99.0	189.0
49	93.0	96.0	189.0
26	91.0	97.0	188.0
72	92.0	93.5	185.5
74	87.0	93.0	180.0
109	95.0	84.5	179.5
41	93.0	86.0	179.0
52	93.5	84.5	178.0
30	92.5	85.0	177.5
89	88.5	88.0	176.5
9	87.5	88.0	175.5
47	91.0	84.0	175.0
122	91.5	83.5	175.0
43	88.5	84.5	173.0
44	90.0	81.5	171.5
59	87.5	81.5	169.0
55	80.0	88.0	168.0
58	89.0	78.0	167.0
45	87.0	79.0	166.0
12	76.5	89.0	165.5
103	94.0	71.5	165.5
51	71.0	94.0	165.0
56	92.0	73.0	165.0
111	81.5	82.0	163.5
42	92.0	71.0	163.0
8	70.0	93.0	163.0
29	85.0	77.0	162.0
6	73.5	87.5	161.0
24	93.0	67.5	160.5
21	89.0	71.5	160.5
70	66.5	94.0	160.5
54	66.0	94.0	160.0
80	87.0	72.5	159.5
60	87.0	72.5	159.5
68	81.5	77.0	158.5
91	70.0	88.0	158.0
115	75.0	82.0	157.0
53	76.0	81.0	157.0
4	76.5	80.0	156.5
16	83.0	73.5	156.5
36	76.0	79.5	155.5
13	82.0	73.0	155.0
22	73.0	81.5	154.5
50	84.0	70.0	154.0
66	71.0	82.5	153.5
65	83.5	70.0	153.5

COD	Punctaj RO	Punctaj MATE	Punctaj RO-MATE
64	80.0	73.5	153.5
34	82.0	70.5	152.5
87	74.5	77.0	151.5
35	70.5	80.0	150.5
76	80.0	69.5	149.5
31	78.5	71.0	149.5
2	76.5	71.5	148.0
110	72.0	76.0	148.0
93	69.5	78.0	147.5
121	70.5	77.0	147.5
1	78.0	68.0	146.0
28	78.5	67.0	145.5
81	66.0	79.5	145.5
63	64.5	80.5	145.0
48	69.0	76.0	145.0
98	78.5	66.0	144.5
85	77.0	67.5	144.5
37	74.0	70.0	144.0
15	66.5	77.5	144.0
57	81.5	60.5	142.0
67	58.0	83.0	141.0
14	57.0	84.0	141.0
39	77.5	63.5	141.0
97	65.5	74.0	139.5
69	66.5	72.0	138.5
117	63.5	74.0	137.5
102	84.0	51.5	135.5
100	71.0	64.0	135.0
32	69.0	65.0	134.0
114	61.0	72.0	133.0
23	54.0	78.5	132.5
82	65.0	67.5	132.5
79	74.5	58.0	132.5
95	57.0	75.0	132.0
106	73.0	59.0	132.0
101	79.5	52.0	131.5
84	63.5	67.5	131.0
10	60.0	70.0	130.0
112	51.5	78.0	129.5
5	52.5	76.5	129.0
11	63.5	65.0	128.5
88	61.0	67.0	128.0
33	56.5	70.0	126.5
96	66.0	60.0	126.0
104	74.0	52.0	126.0
113	57.0	67.5	124.5

COD	Punctaj RO	Punctaj MATE	Punctaj RO-MATE
116	79.5	45.0	124.5
126	54.5	70.0	124.5
119	77.0	46.0	123.0
120	58.0	65.0	123.0
124	55.5	67.0	122.5
71	62.0	60.0	122.0
38	78.0	43.5	121.5
40	64.5	55.0	119.5
92	47.0	71.0	118.0
62	57.5	59.5	117.0
27	46.5	70.0	116.5
123	51.5	65.0	116.5
99	61.0	55.0	116.0
78	64.0	52.0	116.0
107	64.5	51.0	115.5
77	59.0	54.5	113.5
108	51.5	59.0	110.5
86	53.0	56.5	109.5
73	44.0	64.0	108.0
18	74.5	33.0	107.5
46	57.5	40.0	97.5
61	36.5	61.0	97.5
75	48.0	49.0	97.0
7	73.0	20.0	93.0
118	51.5	40.0	91.5
94	30.0	43.5	73.5
83	31.0	40.0	71.0
90	26.0	36.0	62.0
20	29.5	30.0	59.5
19	absent	absent	absent
17	absent	absent	absent

Director,
prof. dr. Gabriel Octavian Negrea